



Digital Min Max Thermometer

Product Images



Short Description

This digital min max outdoor thermometer, displays current temperature and both the minimum and maximum temperatures simultaneously.

The unit can display in both Fahrenheit and Celsius, and is also ideal for use in a greenhouse, or any other indoor environment requiring a min max temperature reading. It is designed to hang onto a wall and ideally you would mount it in a north facing position to give accurate readings.

Technical Specification

- Temperature Range: -20°C to 50°C
- Minimum / Maximum Function
- Measurement: °C or °F
- Dimensions: H 115 x W 75 x D43mm
- Battery: 1 x AA (included)
- Warranty: 1 Year
- Manufacturer: TFA

Description

This digital min max outdoor thermometer, displays current temperature and both the minimum and maximum temperatures simultaneously.

The unit can display in both Fahrenheit and Celsius, and is also ideal for use in a greenhouse, or any other indoor environment requiring a min max temperature reading.

Technical Specification

- Temperature Range: -20°C to 50°C
- Minimum / Maximum Function
- Measurement: °C or °F
- Dimensions: H 115 x W 75 x D43mm
- Battery: 1 x AA (included)
- Warranty: 1 Year
- Manufacturer: TFA

Cabled Probe	no
Temperature Resolution	+/- 1°C
Humidity Sensor	no
Comfort Level Indicator	no
Moon Phase	no
Backlight	no
Indoor Temperature	yes
Indoor Humidity	no
Clock	no
Transmission Range	no
Transmission Frequency	no
Temperature Range	-20 to 50°C
Temperature Accuracy	+/- 1°C
Measuring Units	°C
Humidity Resolution	no
Humidity Accuracy	no
Power	Battery
IP Rating	IP44
Outdoor Temperature	no
Size : Depth	4.3cm
PC Connection	no
Touch Screen	no
Min/Max Reset	yes
Dew Point Alarm	no
High/Low Humidity Alarm	no
High/Low Temp Alarm	no
Outdoor Humidity	no
Size : Height	11.5cm

Size : Width	7.5cm
Data Storage	Past 24 hours

Additional Options

Temperature Calibration Certificate	2 Point Temperature Calibration (0°C / 60°C)
	2 Point Temperature Calibration (please specify temperature points)
	1 Point Temperature Calibration (0°C)