



Log10 Temperature Data Logger With Optional Software

Product Images



Short Description

Optional Software Sold Separately.

Description

What is a data-logger?

A Data-logger is a simple way to store and record data over a period of time that can then be interrogated. Data-loggers have a waterproof casing so they can be left in numerous places to monitor different factors such as internal or external temperatures.

You can choose the information that you would like to analysis and the data-logger will then record this for you. Your stored data can then be downloaded to your pc at the simple click of a button which can then be viewed in graphs, charts or even exported to other programs.

What applications can I use a data-logger for?

Data-loggers are used for many applications, which will help you ensure that you are being compliant with legislation laws, ensuring quality products or processing and for research purposes.

Technical Specification

Temperature Range

• Indoor Range: -30°C to 60°C

• Resolution: 0.1°C Accuracy: +/- 0.5°C • Measure Units: °C

Minimum / Maximum

Reset: Manual

Data-Logging

- Recording Intervals can be set from 1 Second to 24 Hours
- Can store up to 20 000 measurements

Probe

• Metal probe on either 3 metre or 8 metre cable can be purchased seperately

Alarms

• Temperature High-Low alarm

Calibration

• Unit can be calibrated upon request

Dimensions

• Dimensions: H 89 x W 60 x D21mm

• Weight: 98 grams

Battery

• 1 X CR2032 (included)

Manufacturer

• Manufacturer: TFA Dostmann

Additional Information

Brand	TFA Dostmann
Temperature	yes
Humidity	no
Temperature Sensor	no
Warranty	1 Year
Auto Switch Off	no
Hold Function	no
Probe Type	no
HACCP Compliant	yes
Calendar	no
Min/Max Readings	yes
Humidity Sensor	no
Dew Point	yes
Calibration	Calibrated In Accordance With EN12830
Temperature Resolution	+/- 0.1°C
Water Resistant	yes
Readings Time Stamp	no
Readings Time Stamp	no
Readings Time Stamp Protective Case	no no
Readings Time Stamp Protective Case Probe Temperature	no no no
Readings Time Stamp Protective Case Probe Temperature Cabled Probe	no no no no
Readings Time Stamp Protective Case Probe Temperature Cabled Probe Average Values Indicator	no no no no no
Readings Time Stamp Protective Case Probe Temperature Cabled Probe Average Values Indicator IP Rating	no no no no no no lP65
Readings Time Stamp Protective Case Probe Temperature Cabled Probe Average Values Indicator IP Rating Comfort Level Indicator	no no no no no no lP65 no
Readings Time Stamp Protective Case Probe Temperature Cabled Probe Average Values Indicator IP Rating Comfort Level Indicator PC Connection	no lP65 no no

Moon Phase	no
Backlight	no
Power	Battery
Humidity Resolution	no
Indoor Humidity	no
Clock	no
Transmission Range	no
Temperature Range	-30 to 60°C
Temperature Accuracy	+/- 0.5°C
Recording Intervals	Adjustable From 30 Seconds to 24 Hours
Size : Height	8.9cm
Size : Width	6cm
Touch Screen	no
Min/Max Reset	no
Dew Point Alarm	no
High/Low Humidity Alarm	no
High/Low Temp Alarm	yes
Outdoor Humidity	no
Measuring Units	°C
Indoor Temperature	yes
Indoor Temperature Range	-30°C to +60°C

Additional Options

Software Options	Include PC Software